

# Environmental Enhancements to the Unified Development Ordinance



Tree Protection and Tree Coverage



### **EEUDO Background**



Initiated by JCCPC in August 2008
Steering Committee formed October 2008
Four topics

- Sedimentation and Erosion Control
- Water Quality and Stream Buffers
- Tree Protection and Preservation
- Site Preparation



### Tree Protection Recommendations





- Allow credit for smaller trees
- Allow greater flexibility for tree protection areas
- Modify the uses allowed within tree coverage areas
- Redefine specimen trees and surveys, and incentivize specimen tree protection



## Expand tree coverage requirements to Urban tier



Paragraph 8.3.1B, Applicability and 8.3.1C, Tree Coverage

Require tree protection in Urban Tier

- 3% of site
- Residential districts only
- Less than four acres exempt



#### Allow credit for smaller trees



Paragraphs 8.3.1D, Preserved Tree Coverage and 8.3.1E, Replacement Tree Coverage

- Allow 1 inch dbh to count as preserved
- Allow 0.75 inch caliper trees to be credited



# Allow greater flexibility for tree protection areas



Paragraph 8.3.1D, Preserved Tree Coverage, and 8.3.1E, Replacement Tree Coverage

- Minimum dimension of 13 feet
- Modification of agricultural use offset



# Modify the uses allowed within tree coverage areas



Paragraph 8.3.1D.5, Construction in Preserved Tree Coverage Areas

- Allow amenity areas with limits
- Disallow utilities, stormwater facilities, and many easements



### Tree Surveys



Paragraphs 8.3.3, Tree Surveys and 8.3.5 Specimen Trees

- Require Land Disturbance Survey for development within 30 feet of tree preservation and other protected areas
- Incentivize Specimen Tree Survey
  - One and one-half credit for saved specimen trees



### **Specimen Tree Definition**



#### Paragraph 8.3.5, Specimen Trees

- Evergreen Canopy dbh 18 inches or greater
- Deciduous Canopy dbh 12 inches or greater
- Understory dbh of 8 inches or greater



#### Recommendations



Staff recommends approval based on EEUDO Steering Committee recommendation and staff analysis

The Planning Commission recommended approval by unanimous vote at its November 9, 2010 meeting